



Whenever, wherever the snow falls, team up with your Yamaha

Being out on the trails or powder is one of life's great feelings – creating emotional moments to last long in the memory. So enjoy our snowmobiles. Each one is designed and equipped to deliver supreme handling, performance, comfort, economy and reliability.

It's a winning combination you can depend on from your Yamaha – along with our innovative engineering and electronic control technologies that bring you and your machine closer together as a unit – to create a more satisfying riding experience than ever before.

So wherever you ride – on smooth or rough trails, soft powder or up at high altitudes – choose the perfect partner. Your Yamaha.



- High Output 4-taktni Genesis® agregat zapremnine 1.049 ccm
- Napredni sustav za ubrizgavanje goriva
- Dizajn asimetričnog prednjeg ovjesa s dvostrukim ramenima
- Gusjenice sa spojnicama Camoplast Cobra® od 1,6 inča
- Izbočeni pogonski lančanicima za sigurno prijanjanje na stazi
- Standard with rear carrier and soft luggage bag
- Široki podesivi upravljač i podizač
- Upravljanje grijačima za drške i palčeve pomoću dva prekidača
- Praktično električno pokretanje i prekidač za hod unatrag
- Prikaz s dvostrukim digitalnim mjeračem

The back country is its territory

Its biological namesake, the viper, is fast, strong, fearless and perfectly evolved to dominate its territory. In the same way, the Yamaha version rules its own natural terrain, the back country.

At the heart of this machine is the powerful and responsive Genesis 4-stroke engine, cocooned in a light, yet strong pyramid chassis. Poise and agility is assured by the asymmetric crossover suspension up front - which makes sure the wide floatation skis go smoothly where they're pointed - while its phenomenal grip on the snow is down to the rear suspension, with its lean, mean skid wrapped in an aggressive crossover track.

So strike now - and enjoy the back country!



Asymetric double wishbone front suspension

A special characteristic of this exciting machine is the unique front suspension geometry. The lower and upper A-arms are widely spaced, mounted asymmetrically to the chassis bulkhead and matched with FOX FLOAT 3 shocks to deliver ultra-reponsive handling - yet strong enough to take plenty of punishment in its back country habitat.



Genesis 4-stroke 1049cc High Output engine

While this dynamic powerplant delivers massive bottom-end power, its lightweight crank and advanced fuel injection system also deliver thrilling and instant throttle response across the RPM band. Adding to its capability are features like the oil pressure sensing system and the remarkable Engine Braking Reduction System (E.B.R.S.).



Dual Shock SR 141 rear suspension

No, your eyes are not deceiving you, the rear suspension is really as light as it looks! The rear-mounted FOX FLOAT 2 shock eliminates the need for heavy torsion springs. In the centre you'll find we've thoughtfully fitted an aluminium-body HPG shock for maximum control and supreme ride comfort.



Camoplast Cobra® 1.6" lug track with extrovert drive

Acknowledged as the best performer for acceleration and cornering, the Camoplast Cobra® track features 1.6 inch (41 mm) lugs. The track is driven by extrovert drive sprockets. These mesh precisely with holes in the track, acting like a gear mechanism to deliver outstanding levels of grip and propulsion in all conditions.



Wide handlebar and riser

A tall, lightweight aluminum riser sets the handlebar at the right height for maximum control when riding fresh powder. This pivot-adjustable riser allows you to choose the optimum angle for your own riding position. The straight J-hooked handlebar with mountain strap also makes control easier and gives precise feedback from the front suspension.



Dual Digital Meter

Multiple sensors ride on board with you, which continuously monitor and measure engine data to provide essential rider information. In addition to the important basics like speed, rpm, fuel, oil temperature and pressure, a range of trip-related data can be selected. Like a clock with hour-meter, 'distance travelled' information - and even an altimeter!

Engine

Tip / Zapremina	4 taktni / 1,049
Cilindri	3 - cilindara
Hlađenje	hlađenje tekućinom
Provrt x hod	82.0 mm x 66.2 mm
Dizajn usisa	2 ventila
Napajanje gorivom	41mmMikuni x 3, ubrizgavanje goriva, grijan tekućinom
Sustav paljenja	Digitalni T.C.I. w/T.P.S.
Ispuh	2 ventila, stražnji ispuh
Sustav disk kočnica	Radialni glavni hidraulični kočioni cilindar / Disk na pogonskoj osovini
Spojka / prijenos	YVXC; Promjenjiv omjer; Elektronski prijenos unatrag; Magnezijско lančano kučište & poklopac

Suspension

Sustav ovjesa sprijeda	SRV
Prednji amortizeri	FOX® FLOAT® 3
Hod ovjesa sprijeda	254 mm
Sustav ovjesa straga	Dual Shock SR 141
Stražnji amortizeri	C43 R13 aluminium H.P.G. / FOX® FLOAT® 2
Hod ovjesa straga	368 mm

Measures / Dimensions

Razmak skija (mjereno od sredine skija)	1,067 -1,092 mm podesivo
Vrsta gusjenice	Camoplast Cobra 1,6"
Ukupna visina	1,180 mm
Ukupna dužina	3,175 mm
Ukupna širina	1,219 mm
Kapacitet spremnika goriva	37.0Litara
Gusjenica Š x D x V (inč)	15 inča x 141 inča x 1.6 inča
Gusjenica Š x D x V (mm)	381 mm x 3,581 mm x 41 mm

Features

Električno pokretanje	standardno
Unatrag	standardno
Grijači za ruke i palčeve	standardno
Snaga i tip prednjeg svjetla	60/55W H4 Halogen
DC izlaz	standardno



SRViper X-TX SE

Snowmobiles are built to operate within their design limits. For durability, reliability, but most important of all, operator safety, under no circumstances should the recommended capacities identified in the owner's manual be exceeded. Consult your snowmobile dealer when selecting a snowmobile for your particular needs. Always wear a helmet, eye protection and protective clothing. Always ride responsibly and within your limitations, respecting the environment as well as country and local laws. The riders depicted are professionals: don't attempt to emulate them. The specifications, measurements and appearance of Yamaha products will be varied from time to time without notice, and as shown here are illustrative only and are not a contractual description of products. Some models are shown with optional accessories.