



## Welcome to the Dark Side of Japan

This bike has real attitude. It just oozes coolness. And whether you're male or female, new or experienced, it's hard to resist the great looks and unique character of the MT-07.

Yamaha designed this versatile Hyper Naked give every rider the chance to experience thrilling performance – and the economical 689cc inline 2-cylinder engine produces plenty of riding excitement per cc thanks to its deep and linear torque at low to mid speeds.

With its restyled bodywork, bold MT-09 style headlight and big air scoops – as well as more comfortable seating and sportier suspension settings – the MT-07 will take you into the Dark Side of Japan.



- Digital instrumentation with full LED display
- Dual 282mm front discs with 4-pot calipers
- Built for optimum riding enjoyment
- Liquid-cooled 689cc inline 2-cylinder 4-stroke
- Crossplane philosophy design with 270-degree crank
- Low dry weight of only 164kg
- Agile, manoeuvrable and easy to handle
- Refined front and rear suspension
- high quality body design with enhanced finish
- Improved riding position
- Responsive performance, affordability and economy

## Dark Attraction

Inspired by the Dark Side of Japan, the MT-07 has taken Europe by storm – and is now one of Yamaha's best selling bikes of all time. And it's easy to see why so many riders have chosen to ride this exciting Hyper Naked.

Its compact 689cc inline 2-cylinder 'crossplane philosophy' engine is engineered to give you strong, linear torque for thrilling acceleration with outstanding economy.

The bold body and sharper air intakes reinforce the strong MT family look – and the seat gives an improved riding position. With refined front and rear suspension, the MT-07's compact tubular chassis goes exactly where you point it...and takes you straight to the Dark Side of Japan.



## Low dry weight of only 164kg

One of the first things you'll notice when you ride the MT-07 is its remarkable agility and manoeuvrability. With a low weight of just 164kg, as well as a compact chassis and short 1400 mm wheelbase, this punchy Hyper Naked is always a thrill to ride.



## 35kW A2 version also available

As well as the full power version MT-07 that develops 55.0 kW (74.8PS) @ 9,000 rpm, Yamaha also offers a special 35kW model that's the ideal motorcycle for you if you have an A2 licence. This restricted model still delivers strong low to mid range torque for rapid acceleration from low rpm, making it a favourite with new riders.



## Handlebar-mounted digital instruments

The high-tech instruments are mounted directly on top of the handlebars to give the rider a clear view of the road ahead. The easy-to-read LED display includes a gear position indicator and fuel gauge, and a bar-type tachometer features its tallest bars in the 4,000 to 8,000 rpm band where the strongest torque can be found.



## Improved riding position

The MT-07 is equipped with a seat design that gives an improved riding position for riders of all sizes. The front of the seat extends to the sides of the rear of the fuel tank, giving increased comfort – and the shape also gives the latest MT-07 a more integrated profile and a stronger MT identity.



## Refined suspension

The front forks feature revised settings for a sportier character, while the rear shock absorber now has a rebound damping adjuster that makes suspension set up easy. With 130mm travel at both the front and rear, the MT-07's suspension system gives smooth, progressive and predictable performance, making it ideal for a wide range of riding conditions.



## MT body design

A freshly designed fuel tank and bold air scoops give the MT-07 a sharper image and reinforce the MT family look. The seat and separate black sidepanels accentuate the bike's mass-forward design and emphasizes its athletic build. And the bold headlight and MT-09 inspired taillight enhance the overall quality and style.

## Engine

|                       |   |
|-----------------------|---|
| Engine type           | 2-Cylinder; 4-stroke; Liquid-cooled; DOHC; 4-valves |
| Displacement          | 689 cm <sup>3</sup>                                 |
| Bore x stroke         | 80.0 mm x 68.6 mm                                   |
| Compression ratio     | 11.5 : 1  |
| Lubrication system    | Wet sump  |
| Clutch Type           | Wet; Multiple Disc                                  |
| Ignition system       | TCI   |
| Starter system        | Electric  |
| Transmission system   | Constant Mesh; 6-speed                              |
| Final transmission    | Chain   |
| Maximum power         | 55.0kW (74.8PS) @ 9,000 rpm                         |
| Maximum Torque        | 68.0Nm (6.9kg-m) @ 6,500 rpm                        |
| Limited power version | 35.0kW  |
| Fuel consumption      | 4.3l/100km  |
| CO2 emission          | 100g/km   |

## Chassis

|                         |                                  |
|-------------------------|----------------------------------|
| Frame                   | Diamond                          |
| Front suspension system | Telescopic forks                 |
| Front travel            | 130 mm                           |
| Rear suspension system  | Swingarm; (Link type suspension) |
| Rear Travel             | 130 mm                           |
| Front brake             | Hydraulic dual disc, Ø282 mm     |
| Rear brake              | Hydraulic single disc, Ø245 mm   |
| Front tyre              | 120/70 ZR 17M/C(58W) (Tubeless)  |
| Rear tyre               | 180/55 ZR 17M/C(73W) (Tubeless)  |
| Caster Angle            | 24°50                            |
| Trail                   | 90mm                             |

## Dimensions

|   |          |
|---|----------|
| Overall length                                | 2,085 mm |
| Overall width                                 | 745 mm   |
| Overall height                                | 1,090 mm |
| Seat height                                   | 805 mm   |
| Wheel base                                    | 1,400 mm |
| Minimum ground clearance                      | 140 mm   |
| Wet weight (including full oil and fuel tank) | 182 kg   |
| Fuel tank capacity                            | 14L      |
| Oil tank capacity                             | 3.0L     |

Always wear a helmet, eye protection and protective clothing. Yamaha encourages you to ride safely and respect fellow riders and the environment. Images displayed may depict a professional rider performing under controlled conditions or on closed circuit. The unit displayed on the images may be equipped with genuine Yamaha accessories and/or non Yamaha branded accessories which may be for closed-circuit use only. All information is given for general guidance. Specifications and appearance of Yamaha products, Yamaha accessories and non Yamaha branded accessories are subject to change without prior notice. Non Yamaha branded accessories are fully developed and produced by respected third parties. Yamaha does not guarantee the availability of the displayed products and accessories in local markets. The product and accessories range may be limited in some countries. Yamaha has the right to discontinue products and accessories without prior notice. Where applicable, prices of Yamaha products and accessories may vary according to local requirements and conditions. No rights can be obtained from this information. For further details and availability, please contact your local Yamaha dealer.