

Gain a bigger advantage

In the Enduro World Championship the WR250F has proved beyond doubt that Yamaha's innovative technology makes a real difference.

Equipped with a new reverse cylinder head, lighter piston and remapped ECU, the WR250F gives you stronger power across the rev range. We've removed the kickstart to cut weight – and the optional Power Tuner lets you adjust the power and gain an even bigger advantage in varying conditions.

A new YZ250F-type aluminium beam frame and optimised suspension settings enable you to make full use of the increased engine performance over any surface – and new graphics and blue rims reinforce the WR250F's winning specification.



- Lightweight, compact and agile 250cc, 4stroke
- Reverse cylinder head
- Potent fuel injected engine
- Compact aluminium chassis
- Enduro clutch with wide ratio 6-speed transmission
- Switch-free electric starter
- Optional plug in Power Tuner for easy tuning
- Outstanding suspension performance
- Top mounted, quickly removable air filter
- Centrally located 7.5-litre fuel tank
- Mass centralisation for quick directional changes



Rightfully wrong

At Yamaha we're leaders not followers - so we like to do things our way. And when you take a look at the WR250F's high-tech 'reverse' engine, you'll see that what may look 'wrong' to some people is absolutely right for you!

For improved power and rev feeling this winning 4-stroke gets a whole range of engine performance upgrades inspired by our Enduro World Championship race bikes. And for class leading handling and cornering characteristics there's a compact new YZ250F-based aluminium chassis with optimised suspension settings.

New graphics and blue rims give you the genuine factory look. And with Yamaha durability and quality as standard, this bike is the right way to go.





Switch-free electric starter

For easy and reliable starting every time, this next generation enduro bike is equipped with a switch-free ignition system that enables you to fire the engine up with one push of the electric start button. And to reduce the WR250F's overall weight, the kickstart mechanism has been removed.



Yamaha Power Tuner

The Yamaha Power Tuner allows you to adjust the WR250F's performance character to suit different riding conditions. This plug-in accessory gives you a wide range of engine tuning options that enable you to select your own custom settings from the newly developed 3D mapping. With the Power Tuner you now have factory tuning technology at your fingertips!



Smoother enduro clutch and wide-ratio 6-speed transmission

The WR250F's transmission is equipped with a clutch that has been specially developed to handle hour after hour of punishment. A newly designed push lever gives even smoother clutch action - and to optimise the stronger performance of the upgraded engine, there's a purpose-built wide ratio 6-speed transmission.



Optimised suspension settings

The enduro-specific suspension runs with optimised settings for enhanced control.

The KYB® 48-mm upside down AOS front forks give speed-sensitive damping for class-leading performance on varied terrain. And at the rear end this high-tech 250cc 4-stroke runs with a link-type Monocross rear suspension system and KYB® shock for ultimate traction.



Mass centralisation

The mass centralised design is a concept we pioneered and it's what gives the WR250F the edge over the competition. By locating major components like the fuel tank, cylinder and exhaust system close to the centre of the chassis, we've been able to create an agile handling enduro bike, giving Yamaha riders a real advantage - all day long.



Compact new YZ250F-type aluminium chassis

To optimise the performance gains of the upgraded engine, the WR250F comes with a new lightweight YZ250F-based bilateral aluminum beam frame. Its compact design offers an idealised balance of strength and rigidity, giving you the confidence and ability to take full control over all types of extreme terrain, at high and low speeds.



Engine	
Engine type	4-stroke; Liquid-cooled; DOHC; 4-valves
Displacement	250cc
Bore x stroke	77.0 mm x 53.6 mm
Compression ratio	13.5:1
Lubrication system	Wet sump
Clutch type	Wet; Multiple Disc
Ignition system	CDI
Starter system	Electric
Transmission system	Constant Mesh; 6-speed
Final transmission	Chain
Fuel system	Fuel Injection
Maximum power	-
Maximum torque	-

Chassis	
Frame	Semi double cradle
Front suspension system	Upside-down telescopic fork
Front travel	310 mm
Rear suspension system	Swingarm; link suspension
Rear travel	318 mm
Front brake	Single Disc, Ø250 mm
Rear brake	Single Disc, Ø245 mm
Front tyre	90/90-21 54M
Rear tyre	130/90-18 69M
Caster angle	26°10
Trail	114mm

Dimensions	
Overall length	2,165 mm
Overall width	825 mm
Overall height	1,280 mm
Seat height	965 mm
Wheel base	1,446 mm
Minimum ground clearance	325 mm
Wet weight (including full oil and fuel tank)	118 kg
Fuel tank capacity	7.5litres
Oil tank capacity	1.1litres



Always wear a helmet, eye protection and protective clothing. Yamaha encourages you to ride safely and respect fellow riders and the environment. Images displayed may depict a professional rider performing under controlled conditions or on a closed circuit. The unit displayed on the images may be equipped with genuine Yamaha accessories and/or non-Yamaha branded accessories which may be for closed-circuit use only. All information is given for general guidance. Specifications and appearance of Yamaha products, Yamaha accessories and non-Yamaha branded accessories are subject to change without prior notice. Non-Yamaha branded accessories are fully developed and produced by respected third parties. Yamaha does not guarantee the availability of the displayed products and accessories in local markets. The product and accessories range may be limited in some countries. Yamaha has the right to discontinue products and accessories without prior notice. Where applicable, prices of Yamaha products and accessories may vary according to local requirements and conditions. No rights can be obtained from this information. For further details and availability, please contact your local Yamaha dealer.