



Wolverine X2 R-Spec SE Alu



High agility, total versatility.

The Wolverine X2's compact short-wheelbase chassis is built to handle technical terrain with total confidence. The ground clearance and vehicle geometry combines a planted feeling with ultimate terrain ability

For added comfort the driver's seat and steering wheel are adjustable. Our new 850cc long stroke parallel twin engine gives you all the power you need - and conversations between passengers are easy thanks to the X2's ultra low noise and vibration levels.

And with our wide range of integrated Genuine accessories, it's easy to make your very own Wolverine X2.



- Yamaha 2-seat Side By Side
- High levels of capability, comfort and confidence
- Tackle toughest terrain with SE Piggy back shocks
- Ideal for leisure and light utility use
- Compact and agile chassis, low centre of gravity
- Powerful new 850cc parallel twin cylinder engine
- Confident all-terrain versatility
- Quiet, smooth and comfortable
- Tough, durable and adaptable
- Ideal for new and experienced users
- Good load carrying and towing capacity



Wolverine X2 R-Spec SE Alu

Explore more

New Yamaha's 2-seat Side By Side models open up a new world of adventure.

Equipped with high-back seats that are designed to accommodate 2 full-size adults, this is one of the most comfortable ways to get out there. Its compact chassis gives outstanding levels of agility and maneuverability - and the powerful 850cc parallel twin cylinder engine produces plenty of torque for easy low speed control in technical terrain.

With a smooth-running Ultramatic transmission and our switchable On-Command drive system with 2WD/4WD/Diff Lock, the Wolverine X2 gives you more confidence and control!



Wolverine X2 R-Spec SE Alu



Powerful 850cc twin cylinder engine

The 850cc parallel twin cylinder engine produces high levels of linear torque, giving the X2 the ability to carry 2 full-sized adults and their cargo across technical and hilly landscapes with ease. For a stronger driving force at low and high speeds, the crossplane concept design features a long stroke together with a 270-degree crank.



Compact and agile chassis

The Wolverine X2's compact chassis features a short wheelbase of only 2100mm - just 35mm longer than the 2-seat Wolverine R model. And with an overall length of 3100mm and width of 1580mm, this is one of the most versatile, agile and easy-handling SxS models.



Quiet and comfortable interior

We've gone to great lengths to make sure that you and your passenger are able to enjoy a quiet and relaxing ride. The large volume intake and exhaust systems drastically reduce engine noise and make conversations between occupants easy to hear - while the rubber engine mounts and extensive chassis insulation minimize footboard vibration.



KYB Piggy Back Shocks front & rear

The suspension can be tuned to your personal preference and terrain condition with KYB gas charged piggy back shocks with Hi and Low speed compression - and single rebound adjustment



Full-size high-back seats

The Wolverine X2 is equipped with full-size seats that are designed to accommodate driver & passenger in comfort. Featuring premium quality cushioning with stitched covers, these luxurious high-back seats ensure that you and your passenger experience a relaxing and enjoyable ride - even on the most extreme terrain.



Adaptable and versatile layout

With 100mm adjustable of front/rear, the driver's seat can be set up to suit your individual preference - and the steering wheel can be moved through 12 degrees of tilt to achieve the optimum ergonomics. The two rear seats can be folded to increase the cargo bed size and capacity.



Wolverine X2 R-Spec SE Alu

Engine

Engine type	Parallel Twin; 4-stroke; Liquid-cooled; DOHC
Displacement	847cc
Bore x stroke	82 mm x 80.2 mm
Compression ratio	10.5 : 1
Ignition system	TCI
Lubrication system	Dry sump
Starter system	Electric
Transmission system	Yamaha Ultramatic® CVT automatic V-belt
Drive system	On-Command® 2WD, 4WD, 4WD with Diff-lock
Final transmission	Shaft
Fuel system	Mikuni fuel injection with Drive by wire, dual 36mm throttle bodies

Chassis

Front suspension system	Independent Double Wishbone with Anti-Sway Bar, 221 mm of wheel travel with spring preload adjustability
Rear suspension system	Independent Double Wishbone with Anti-Sway Bar, 226 mm of wheel travel with self-leveling shock absorbers
Front brake	Dual hydraulic disc
Rear brake	Dual hydraulic disc; Shaft mounted parking brake
Front tyres	MAXXIS MU75, AT26 x 8-12, Aluminum Wheels
Rear tyres	MAXXIS MU76, AT26 x 10-12, Aluminum Wheels

Loading limits

Cargo bed	272 kg
-----------	--------



Wolverine X2 R-Spec SE Alu

Dimensions

Overall length	2,920 mm
Overall width	1,500 mm
Overall height	1,900 mm
Wheelbase	2,100 mm
Minimum ground clearance	280 mm
Wet weight (including full oil and fuel tank)	719.5 kg
Fuel tank capacity	35L
Oil tank capacity	4.4L
Min. turning radius	4.5m

Additional feature

Steering System	Rack and Pinion Steering Assembly with Electric Power Steering
Towing capacity	907 kg



Wolverine X2 R-Spec SE Alu

Specifications are subject to change.

ATVs with engines up to 50cc are recommended for use only by riders 6 years and older and always with adult supervision. ATVs with engines of 70 to 90cc are recommended only for use by riders 12 years and older, and always under adult supervision. ATVs with engines of 90cc or greater are recommended for use only by riders 16 years and older. Our Side-by-Side Vehicles are recommended for use only by riders of 16 years and older. ATVs and Side-by-Side Vehicles are built to operate within their design limits. Safe towable weights, together with maximum carrying capacity are identified in the owner's manual if applicable. For durability, reliability, but most important of all, operator and passenger (for Side-by-Side Vehicle only) safety, under no circumstances should the recommended capacities be exceeded. ATVs can be hazardous to operate. For your safety: always avoid paved surfaces. ATVs and Side-by-Side Vehicles are designed for unpaved surfaces only. Riding on paved surfaces may seriously affect handling and control and can cause loss of control. Always wear a helmet, eye protection, and protective clothing. Never carry any passengers on ATVs and always wear a seatbelt when riding a Side-by-Side Vehicle. Never engage stunt riding. Riding and alcohol/drugs don't mix. Avoid excessive speed. And be particularly careful on difficult terrain. Please 'tread lightly': always ride in a responsible manner, respecting the environment as well as country and local laws. Yamaha recommends that all ATV and Side-by-Side Vehicle riders take an approved training course. For safety and training information, see your dealer or call your Yamaha Distributor in your country. The specification and appearance of Yamaha products will be varied from time to time without notice, and those shown here are for illustrative purposes only and are not contractual descriptions of products. Some models are shown with optional accessories. The riders in this brochure are professionals: don't attempt to emulate them. All ATVs and Side-by-Side Vehicles come with a 12-month Limited Factory Warranty. See your dealer for details.