



## Whenever, wherever the snow falls, team up with your Yamaha.

Being out on the trails or powder is one of life's great feelings – creating emotional moments to last long in the memory. So enjoy our snowmobiles. Each one is designed and equipped to deliver supreme handling, performance, comfort, economy and reliability.

It's a winning combination you can depend on from your Yamaha – along with our innovative engineering and electronic control technologies that bring you and your machine closer together as a unit – to create a more satisfying riding experience than ever before.

So wherever you ride – on smooth or rough trails, soft powder or up at high altitudes – choose the perfect partner. Your Yamaha.



- Fuel-injected 4-stroke 1049cc 3-cylinder engine
- Massive low end torque for control in deep snow
- Striking LE edition colours and graphics
- Slim and lightweight Mountain chassis
- Gen II body and integrated tether switch
- Super-comfortable Mountain seat
- Trail steering post - Stealth handle bar and strap
- Precise suspension with FOX® Zero/QS3 shocks
- Camso® Power Claw track with 2.25"/57mm lugs
- Luxurious heated handgrips & thumb warmers
- Convenient electric start and push-button reverse



## **Fuel-injected 1049cc 3-cylinder engine**

One of the most respected engines in the snowmobile world, this smooth 3-cylinder unit is a joy to use at any altitude - in any conditions. An economical 4-stroke with our very latest re-calibrated fuel injection system, it delivers excellent cold-start performance, instant throttle response and huge pulling power across the rev band.



## **Agile, responsive chassis - low weight with high strength**

The super-tough chassis, specially engineered for our latest Mountain models, features aluminium construction with a high load-bearing, triangulated design to keep weight low and strength high. The result is razor-sharp agility and a superbly balanced ride, with dynamics to complement a wide variety of riding styles.



## **A comfortable way to hit the back country!**

While the striking colour and graphics scheme on the Gen II body is a real eye-catcher, even more practical are the luxurious Mountain seat, Stealth handle bar with strap, thumb warmers - and steering post geometry. They all combine to give you comfortable control over the gutsy power train and the dynamic, agile chassis.



## **QS3 front suspension with SRV-M spindle**

The unique suspension and ski geometry is designed to cope with the demands of this machine's natural deep snow and back country habitat. For the front of the B-TX LE 153 we've chosen FOX® Zero QS3 shocks to deliver ultra-responsive handling and the QS3's 3-way adjuster knob allows super-quick selection of your chosen damper settings.



## **Dual Shock SR 153 rear suspension for stability and control**

The SR Viper B-TX offers a range of adjustment and tuning options at the rear, with its FOX® 1.5 Zero QS3 shocks package. What's more, the special springless suspension developed for these models greatly reduces the amount (and weight) of built-up snow under the machine, to give you better stability and control.



## **High-performance Camso® Power Claw track**

A stunning performer in extreme conditions, the Camso® Power Claw track, specially chosen for this SR Viper, features 2.25"/57mm lugs. The track is driven by extrovert drive sprockets which mesh precisely with holes in the track, acting like a gear mechanism to deliver outstanding levels of grip and propulsion.

## Engine

Type / Displacement	4 Stroke / 1,049cc
Cylinders	3-Cylinder
Cooling	liquid-cooled
Bore x stroke	82.0 mm x 66.2 mm
Carburation	41mmMikuni x 3, Fuel Injection, Liquid Heated
Intake design	2-valves
Ignition system	Digital T.C.I. w/T.P.S.
Exhaust	2-valves, Rear Exhaust
Clutch / transmission	YVXC;Variable Ratio;Electronic Shift Reverse;Magnesium Chaincase & Cover
Disc brake system	Radial Master Cylinder Hydraulic Brake / Disc on Drive Shaft

## Suspension

Front suspension system	SRV-M New Spindle
Front shocks	FOX® 1.5 ZERO QS3
Front travel	229 mm
Rear suspension system	Dual Shock SR 153
Rear shocks	FOX® 1.5 ZERO QS3 / FOX® 1.5 ZERO QS3
Rear Travel	394 mm

## Measures / Dimensions

Overall height	1,260 mm
Overall length	3,360 mm
Overall width	1,219 mm
Track W x L x H	15 inch x 153 inch x 2.25 inch
Track W x L x H	381 mm x 3,886 mm x 57 mm
Track Type	Camso® Power Claw 2,25"
Ski stance (ctr. to ctr.)	1,016 -1,041 mm
Fuel tank capacity	37.0litres

## Features

Electric start	Standard
Reverse	Standard
Hand & thumb warmers	Standard
Headlight watts, type	60/55W Halogen
DC output	Standard

Snowmobiles are built to operate within their design limits. For durability, reliability, but most important of all, operator safety, under no circumstances should the recommended capacities identified in the owner's manual be exceeded. Consult your snowmobile dealer when selecting a snowmobile for your particular needs. Always wear a helmet, eye protection and protective clothing. Always ride responsibly and within your limitations, respecting the environment as well as country and local laws. The riders depicted are professionals: don't attempt to emulate them. The specifications, measurements and appearance of Yamaha products will be varied from time to time without notice, and as shown here are illustrative only and are not a contractual description of products. Some models are shown with optional accessories.

Snowmobiles are built to operate within their design limits. For durability, reliability, but most important of all, operator safety, under no circumstances should the recommended capacities identified in the owner's manual be exceeded. Consult your snowmobile dealer when selecting a snowmobile for your particular needs.