

Making every working day better

Yamaha Utility ATVs are built with one goal in mind: easing the workloads of those in tough outdoor environments.

This philosophy is engineered in every detail. Like torqueheavy engines that get you moving when terrain is tricky, or loads are heavy; effort-reducing technologies like automatic transmission and Electric Power Steering; and ergonomic designs which mean you'll still feel comfortable after a long day in the saddle. Plus, they run economically and require low maintenance.

Yamaha Utility ATVs are tireless workhorses - but that's not all they are. When time permits, these vehicles pack the punch to give riders a big dose of fun, too.



- Best value for money utility ATV
- Powerful MK II 686cc SOHC 4-stroke high-torque engine
- Yamaha Ultramatic® CVT automatic transmission
- On-Command® 2WD/4WD with Diff Lock
- Yamaha Electric Power Steering (EPS)
- Total 140kg front and rear rack carrying capacity
- 600kg towing capacity and frontmounted winch
- Front discs and sealed wet rear brake
- Independent long-travel suspension
- Maxxis 25-inch tyres, 25x8x12 front;
 25x10x12 rear, Alu wheels
- Digital instruments and storage



The extraordinary ordinary work.

Designed for farmers, foresters and industrial users who need a tough utility vehicle for hard work in extreme conditions, the user-friendly Kodiak 700 EPS Alu delivers superior performance with outstanding value.

Powered by the high torque MK II 686cc engine - and featuring a compact chassis with a plush seat for daylong riding comfort - this extraordinary worker can carry a 140kg payload plus rider, and tow up to 600kg.

The smooth-running Ultramatic® CVT transmission and 2WD/4WD system with Diff Lock make this ATV ideal for towing, and the Electric Power Steering makes every working day that little bit easier.





MK II 686cc SOHC engine

The hard working Kodiak 700 EPS Alu's features a powerful large capacity engine that delivers class-leading torque and power. Featuring the 2nd generation MK II 686 engine SOHC 4-valve cylinder head, with EFI Throttle body, fine-tuned ECU mapping, refined tolerances and other updates results in lower fuel consumption increased torque and a smoother engine performance.



Ultramatic® transmission

Equipped with High, Low, Reverse,
Neutral and Park modes, Yamaha's
industry-leading Ultramatic® automatic
transmission is one of the ATV world's
most durable and efficient CVT systems.
The utility oriented gearing produces
excellent low speed pulling power and
natural all-wheel engine braking feel,
giving added confidence and control on
downhills.



Independent suspension, front disc brakes

The Kodiak 700 EPS Alu's compact independent double wishbone A-arms and long-travel KYB shocks give high levels of comfort together with good manoeuvrability, and can handle the most extreme terrain. For durable and reliable braking the Kodiak 700 is fitted with front disc brakes and a sealed wet rear brake.



On-Command 2WD/4WD/Diff Lock

The Kodiak 700 EPS Alu models are fitted with an easy to operate On-Command® system with 2WD/4WD and 4WD with Diff Lock for full control for quick and effective switching between 2WD and 4WD, or even full Diff Lock allowing you to choose the right option to suit the terrain and surface conditions.



Carrying capacity and winch

Durable front and rear racks give a high load carrying capacity of 140 kg, and the Kodiak 700 EPS Alu can tow 600 kg, making it a strong work companion in the farm, factory or forest. The front-mounted WARN ProVantage 2500 winch is standard for Europe, while EPS models come with a 2-inch receiver hitch, making this the ultimate compact utility vehicle.



Electric Power Steering (EPS)

For added comfort and reduced physical effort the Kodiak 700 EPS Alu model is equipped with Electronic Power Steering (EPS) that has been designed to offer the best balance of rider assist and positive feedback. By maintaining light steering and precise handling, this system enhances rider comfort, confidence and control.



Engine	
Engine type	Single cylinder; Liquid-cooled; 4-stroke; SOHC; 4-valves
Displacement	686 cc
Bore x stroke	102.0 mm x 84.0 mm
Compression ratio	10.0:1
Lubrication system	Wet sump
Fuel system	Electronic Fuel Injection
Ignition system	TCI
Starter system	Electric
Transmission system	Ultramatic® V-belt with front- and rear wheel engine
	braking; H/L/N/R/P
Drive system	On-Command® 2WD, 4WD, 4WD with Diff-lock
Final transmission	Shaft

Chassis	
Front suspension system	Independent double wishbone; 180 mm stroke; 5 position preload adjustment
Rear suspension system	Independent double wishbone; 230 mm stroke; 5 position preload adjustment
Front brake	Dual ventilated hydraulic disc
Rear brake	Multi-disc wet rear brake in rear gearcase
Front tyres	Maxxis MU19 AT25x8-12, E marked, aluminium wheels
Rear tyres	Maxxis MU19, AT25x10-12, E Marked, aluminium wheels

Loading limits	
Front rack	50 kg
Rear rack	90 kg



Dimensions	
Overall length	2,070 mm
Overall width	1,180 mm
Overall height	1,240 mm
Seat height	860 mm
Wheelbase	1,250 mm
Minimum ground clearance	275 mm
Min. turning radius	3.2 m
Fuel tank capacity	18.0 litres
Oil tank capacity	2.6 litres

Additional features	
Steering system	Ackermann-type with Electronic Power Steering



Specifications are subject to change.

ATVs with engines up to 50cc are recommended for use only by riders 6 years and older and always with adult supervision. ATVs with engines of 70 to 90cc are recommended only for use by riders 12 years and older, and always under adult supervision. ATVs with engines of 90cc or greater are recommended for use only by riders 16 years and older. Our Side-by-Side Vehicles are recommended for use only by riders of 16 years and older. ATVs and Side-by-Side Vehicles are built to operate within their design limits. Safe towable weights, together with maximum carrying capacity are identified in the owner's manual if applicable. For durability, reliability, but most important of all, operator and passenger (for Side-by-Side Vehicle only) safety, under no circumstances should the recommended capacities be exceeded. ATVs can be hazardous to operate. For your safety: always avoid paved surfaces. ATVs and Side-by-Side Vehicles are designed for unpaved surfaces only. Riding on paved surfaces may seriously affect handling and control and can cause loss of control. Always wear a helmet, eye protection, and protective clothing. Never carry any passengers on ATVs and always wear a seatbelt when riding a Side-by-Side Vehicle. Never engage stunt riding. Riding and alcohol/drugs don't mix. Avoid excessive speed. And be particularly careful on difficult terrain. Please 'tread lightly': always ride in a responsible manner, respecting the environment as well as country and local laws. Yamaha recommends that all ATV and Side-by-Side Vehicle riders take an approved training course. For safety and training information, see your dealer or call your Yamaha Distributor in your country. The specification and appearance of Yamaha products will be varied from time to time without notice, and those shown here are for illustrative purposes only and are not contractual descriptions of products. Some models are shown with optional accessories. The riders in this brochure are professionals: don't attempt to emulate them. All ATVs and Side-by-Side Vehicles come with a 12-month Limited Factory Warranty. See your dealer for details.