

Step up your game.

The YFM700R SE is for racers the ultimate track weapon, whether you use it on a closed circuit or fast trails.

This is where sporty riding meets race. YFM700R SE's thrilling power and precise handling ensure adrenaline-charged action on all types of terrain. And once you're hooked, this race-bred ATV will show you what #DRIVENBYVICTORY truly means.

Our 686cc 4-stroke engines combine class-leading power with legendary durability and exceptional reliability - so whether you're enjoying the countryside with your friends or fighting for the lead on the race track, Yamaha have the ATV that's right for you.



- High-tech race-bred 686cc fuel-injected engine
- High performance with efficient fuel consumption
- Strong, lightweight hybrid aluminium/steel frame
- KYB Piggy Back Rear shock with Dual Compression & Single Rebound adjustment
- Large 22-inch front tyres
- Aluminium components for reduced unsprung weight
- 5-speed transmission with reverse easy shifting
- Informative easy-to-read LED instrumentation
- Push-button electric-start for convenience
- Sleek bodywork with comfortable riding position
- Built without compromise



Step up your game.

This is where sporty riding meets race. YFM700R SE's thrilling power and precise handling ensure adrenaline-charged action on all types of terrain. And once you're hooked, this race-bred ATV will show you what #DRIVENBYVICTORY truly means.

The gutsy 686cc 4-stroke engine comes with a series of features that boost power for fast acceleration. And with its efficient fuel consumption, the model takes you further between refills.

Built for racers, the YFM700R Special Edition comes packed with a range of exclusive parts including a high compression head, special cam and race-bred fuel mapping. And with its piggyback shocks and 22-inch Maxxis tyres, the YFM700R SE is built to win.





High power, big torque

Yamaha 4-stroke ATVs provide high levels of torque even at low rpm that ensures terrain-hugging traction, even in difficult conditions. The YFM700R's engine produces high levels of power and torque – and its fuel injection system gives increased fuel economy and reduced emissions.



Extra-strong hybrid chassis

For the kind of strength that withstands every knock and bump, the state-of-theart hybrid chassis combines a steel front section with an aluminium rear section and a detachable subframe. And for comfortable and controllable handling, there's a lightweight cast aluminium swing arm operating an adjustable shock with optimised damping settings.



5-speed transmission with reverse

To optimise the remarkable performance potential of the high powered engine, the YFM700R drives through a slick-shifting 5-speed transmission. Whatever the terrain, this durable gearbox and smooth multiplate clutch gives you total control – while the reverse gear gives added manoeuvrability in tight situations.



Adjustable suspension

The long-travel front suspension is set up with KYB Piggybacks shocks at the front and rear, both with fully adjustable Hi and Low speed compression – and single rebound stroke. You can tune the suspension to your personal preference to suit your ride on all types of surfaces. The large diameter 22-inch front tyres soak up the bumps and are precise on your steering input.



Lightweight aluminium wheels and calipers

Aluminium wheels and compact calipers contribute to the YFM700R's SE low unsprung weight that ensures responsive suspension characteristics. Operating on ventilated discs, the 2-piston front brake callipers – combined with the YFZ450R-type 2-piston rear calliper – deliver smooth and controllable stopping power for riding confidence.



Ergonomic design

Piloting an ATV is a fun, physical activity that uses unusual combinations of muscles. Yamaha ATVs are designed to be straightforward to use, and comfortable for the widest possible range of body shapes and sizes. The front end design gives plenty of knee clearance for improved body movement, while retaining the aggressive, streamlined YFM700R SE styling.



Engine	
Engine type	Single cylinder; Liquid-cooled; 4-stroke; 4-valves
Displacement	686cc
Bore x stroke	102.0 mm x 84.0 mm
Compression ratio	9.2:1
Lubrication system	Dry sump
Fuel system	Fuel injection, 44 mm
Ignition system	TCI
Starter system	Electric
Transmission system	5 speed & reverse; wet multiplate clutch
Drive system	2WD
Final transmission	Sealed O-ring chain; eccentric adjustment

Chassis	
Front suspension system	KYB Piggy Back with Hi and Low speed compression & single rebound adjustment; Independent double wishbone; threaded preload adjustable spring; 230 mm stroke
Rear suspension system	KYB Piggy Back with Hi and Low speed compression & single rebound adjustment; threaded preload adjustable spring; Cast aluminium swingarm; 256 mm stroke
Front brake	Dual ventilated disc with hydraulic twin piston callipers
Rear brake	Dual ventilated disc with hydraulic caliper
Front tyres	AT21x7R10
Rear tyres	AT20x10R9

Dimensions	
Overall length	1,845 mm
Overall width	1,170 mm
Overall height	1,130 mm
Seat height	815 mm
Wheelbase	1,280 mm
Minimum ground clearance	113 mm
Wet weight (including full oil and fuel tank)	192kg
Fuel tank capacity	11.0litres



Professional rider(s) with advanced skill(s) depicted in a closed area.

ATVs with engines up to 50cc are recommended for use only by riders 6 years and older and always with adult supervision. ATVs with engines of 70 to 90cc are recommended only for use by riders 12 years and older, and always under adult supervision. ATVs with engines of 90cc or greater are recommended for use only by riders 16 years and older. Our Side-by-Side Vehicles are recommended for use only by riders of 16 years and older. ATVs and Side-by-Side Vehicles are built to operate within their design limits. Safe towable weights, together with maximum carrying capacity are identified in the owner's manual if applicable. For durability, reliability, but most important of all, operator and passenger (for Side-by-Side Vehicle only) safety, under no circumstances should the recommended capacities be exceeded. ATVs can be hazardous to operate. For your safety: always avoid paved surfaces. ATVs and Side-by-Side Vehicles are designed for unpaved surfaces only. Riding on paved surfaces may seriously affect handling and control and can cause loss of control. Always wear a helmet, eye protection, and protective clothing. Never carry any passengers on ATVs and always wear a seatbelt when riding a Side-by-Side Vehicle. Never engage stunt riding. Riding and alcohol/drugs don't mix. Avoid excessive speed. And be particularly careful on difficult terrain. Please 'tread lightly': always ride in a responsible manner, respecting the environment as well as country and local laws. Yamaha recommends that all ATV and Side-by-Side Vehicle riders take an approved training course. For safety and training information, see your dealer or call your Yamaha Distributor in your country. The specification and appearance of Yamaha products will be varied from time to time without notice, and those shown here are for illustrative purposes only and are not contractual descriptions of products. Some models are shown with optional accessories. The riders in this brochure are professionals: don't attempt to emulate them. All ATVs and Side-by-Side Vehicles come with a 12-month Limited Factory Warranty. See your dealer for details.