



It's all about the race.

We know that racing is about being the best. And that's an attitude reflected in the design of every Yamaha Sports ATV.

The Special Edition (SE) YFZ450R is all about the rush, all about the win - no compromise. Its sharp-handling chassis and ultra-responsive 450cc engine have placed it among today's number one racing machines of its class, for those truly #DRIVENBYVICTORY.

We are as committed to engineering excellence as you are to winning the next race. Delivering high levels of torque with explosive acceleration, the YFZ450R SE is built to leave the competition standing.



- Light action throttle lever
- First ATV in its class with a slipper clutch
- Lightweight piggyback shocks for precise handling
- High compression engine for explosive performance
- Shock calibration matches tyre character perfectly
- Cam design for strong high rpm power feeling
- 32-bit fuel injection for instant response
- Lightweight weldless hybrid aluminium frame
- Cast aluminium swingarm with piggyback rear shock
- Dual front discs with wave-type rear
- Quick-release fasteners for easy bodywork removal
- Roomy bodywork and padded seat shape for comfort



YFZ450R SE

It's all about the race.

The Special Edition (SE) YFZ450R is all about the rush, all about the win - no compromise. Its sharp-handling chassis and ultra-responsive 450cc engine have placed it among today's number one racing machines of its class, for those truly #DRIVENBYVICTORY.

A race-bred assist and slipper clutch gives more precise control over corner entry speed for quicker lap times - while the race-bred engine delivers superfast throttle response and hard-hitting high rpm power for holeshot-winning performance.

Sharp-designed bodywork gives the rider space to shift the bodyweight during cornering or hard acceleration. And the lightweight piggyback shocks make for razor-sharp handling!



Race-bred high-performance engine

The YFZ450R SE's race-bred 5-valve 4-stroke 450cc engine features a compression ratio of 11.8:1 and high performance camshafts for instant throttle response and race winning high rpm power. The Air Induction System gives high fuel efficiency, reduced exhaust emissions and increased durability.



Electronic Fuel Injection

For sharp throttle response the YFZ450R SE is equipped with a 42mm Mikuni throttle body which includes an ISC (Idle Speed Control) system for easy and reliable starting and warming up. This advanced system delivers instantaneous pick up and contributes towards reduced emissions.



Hybrid chassis engineering

The YFZ450R SE uses a special combination of aluminum and steel in its frame and swingarm construction, and this innovative 'hybrid chassis' design offers a winning combination of low weight together with outstanding strength and an excellent rigidity balance.



Assist and slipper clutch

The YFZ450R SE is the first ATV in its class to feature an assist and slipper clutch that's designed to partially disengage when you're downshifting quickly for a turn. By virtually eliminating the effects of engine braking, the slipper clutch allows the rider to control corner entry speeds using the brakes for enhanced control and reduced lap times.



Slick-shifting transmission

The YFZ450R SE's 5-speed transmission is one of the slickest shifting systems in its class, and is fitted with an assist and slipper clutch - the first time this race-developed technology has been used in this category. The system makes shifting between gears even easier for quicker lap times and reduced fatigue.



Long-travel adjustable suspension

For reduced unsprung weight this model is fitted with Kayaba piggyback front shock absorbers and a calibrated rear shock. These adjustable units give refined handling performance to give you the edge over other competitors.

Engine

Engine type	Single cylinder;Liquid-cooled;4-stroke;DOHC;5-valves
Displacement	449cc
Bore x stroke	95.0 mm x 63.4 mm
Compression ratio	11.8 : 1
Lubrication system	Dry sump
Fuel system	Fuel Injection 42 mm EHS with ISC
Ignition system	TCI
Starter system	Electric
Transmission system	5-speed;manual slipper clutch
Drive system	2WD
Final transmission	Sealed O-ring chain;eccentric adjustment

Chassis

Front suspension system	Independent double wishbone;Piggy Back 3-way adjustable damper;250 mm wheel travel;threaded preload adjustable dual-rate coil-over springs
Rear suspension system	Cast aluminium swingarm;Piggy Back 3-way adjustable damper;threaded preload adjustable coil-over springs;280 mm wheel travel
Front brake	Dual ventilated disc with hydraulic twin piston callipers
Rear brake	Wave-type ventilated disc with twin piston callipers
Front tyres	AT21x7R10
Rear tyres	AT20x10R9

Dimensions

Overall length	1,795 mm
Overall width	1,240 mm
Overall height	1,065 mm
Seat height	810 mm
Wheelbase	1,270 mm
Minimum ground clearance	115 mm
Wet weight (including full oil and fuel tank)	184 kg
Fuel tank capacity	10.0 litres



YFZ450R SE

Additional features

SE/LE Features

Painted Body / Quick release body panel / wheel trim



YFZ450R SE

ATVs with engines up to 50cc are recommended for use only by riders 6 years and older and always with adult supervision. ATVs with engines of 70 to 90cc are recommended only for use by riders 12 years and older, and always under adult supervision. ATVs with engines of 90cc or greater are recommended for use only by riders 16 years and older. Our Side-by-Side Vehicles are recommended for use only by riders of 16 years and older. ATVs and Side-by-Side Vehicles are built to operate within their design limits. Safe towable weights, together with maximum carrying capacity are identified in the owner's manual if applicable. For durability, reliability, but most important of all, operator and passenger (for Side-by-Side Vehicle only) safety, under no circumstances should the recommended capacities be exceeded. ATVs can be hazardous to operate. For your safety: always avoid paved surfaces. ATVs and Side-by-Side Vehicles are designed for unpaved surfaces only. Riding on paved surfaces may seriously affect handling and control and can cause loss of control. Always wear a helmet, eye protection, and protective clothing. Never carry any passengers on ATVs and always wear a seatbelt when riding a Side-by-Side Vehicle. Never engage stunt riding. Riding and alcohol/drugs don't mix. Avoid excessive speed. And be particularly careful on difficult terrain. Please 'tread lightly': always ride in a responsible manner, respecting the environment as well as country and local laws. Yamaha recommends that all ATV and Side-by-Side Vehicle riders take an approved training course. For safety and training information, see your dealer or call your Yamaha Distributor in your country. The specification and appearance of Yamaha products will be varied from time to time without notice, and those shown here are for illustrative purposes only and are not contractual descriptions of products. Some models are shown with optional accessories. The riders in this brochure are professionals: don't attempt to emulate them. All ATVs and Side-by-Side Vehicles come with a 12-month Limited Factory Warranty. See your dealer for details.