




-
-
- Powerful 2-stage blower - throws snow 17 metres!
-
-
-
-
-
- Tough rubber track drive - great grip and traction
- Easy control of chute rotation - electric powered
- 2-step chute - plastic liner reduces snow build-up
- Heavy duty steel 2-stage auger - for tough jobs
- 3-step gas-assisted auger height-adjustment system
- Adjustable 'Snow Jaw' scraper



Motor

Tip motor	Monocilindru;4 timpi;Răcit cu aer;OHV
Model	MZ300
Capacitate cilindrică	296cc
Putere maximă	6.9kw(9.4ps)
Sistem de aprindere	Electric baterie 12VDC (std)
Sistem de aprindere	TCI

Dimensiuni

Capacitate rezervor carburant	6.7Litri
Capacitate motor de ulei	1.0Litri
Greutate la plin (inclusiv plin de benzină și de ulei)	185
lungime x lățime x înălțime globală	1,568mm x745mm x 1,105mm

Control jgheab

Raza de bracare	220Âș
-----------------	-------

Sistem de sfredel

Diametru	350 mm
----------	--------

Sistemul de rulare

Sistem de transmisie	Hidrostatic
Viteza de înaintare la sol	0 - 2.8km/h
Viteza de mers cu spatele	0 - 1.8km/h

Capacitate

Lățime curățare	715 mm
Înălțime plug	510 mm
Capacitate curățare zăpadă	60tone/oră
Distanța maximă de aruncare a zăpezii	17m



YS1070T