

The beauty of work.

Yamaha Utility ATVs are built with one goal in mind: to ease your workload in tough outdoor environments.

This philosophy is engineered in every detail. Like torqueheavy engines that get you moving easily when terrain is tricky or loads are heavy; effort-reducing Yamaha technologies like automatic transmission and EPS (Electric Power Steering) - and ergonomic designs which mean you'll still feel comfortable after a long day in the saddle. Plus, they run economically and require low maintenance.

The Kodiak 700 EPS SE is our top-spec utility ATV. A powerful ATV with outstanding capability, comfort and convenience. With aluminium wheels to complement Special Edition painted plastics and exclusive graphics, the Kodiak 700 EPS SE is the professional utility ATV with premium features.



- Pro utility ATV with a luxury twist
- High-torque engine with powerful 686cc
 SOHC 4-stroke
- The most durable ATV transmission on the market
- On the Fly Driver selectable wheel drive system
- Large cooling capacity for work and towing
- Professional capacity to stow and tow cargo
- Self & Buddy rescue with standard winch
- Low maintenance hybrid stopping power
- Comfortable and terrain capable suspension
- Less fatigue and more precise handling with EPS
- SE two-tone painted body & aluminum wheels



The beauty of work.

Designed for farmers, foresters and industrial users who need a tough utility vehicle for hard work in extreme conditions, this pro utility ATV with a luxury twist combines superior performance with exclusive SE (Special Edition) two-tone painted body & aluminium wheels. #DRIVENBYRESULTS.

Powered by the high torque MK II 686cc engine - and featuring a compact chassis with a plush seat for daylong riding comfort - this extraordinary worker can carry a 140kg payload plus rider, and tow up to 600kg.

The smooth-running Ultramatic® CVT transmission and 2WD/4WD system with Diff-lock make this ATV ideal for towing, and the Electric Power Steering makes every working day that little bit easier.





MK II 686cc SOHC engine

The hard-working Kodiak 700 EPS SE features a powerful large capacity engine that delivers class-leading torque and power. Featuring the 2nd generation MK II 686 engine SOHC 4-valve cylinder head, with EFI Throttle body, fine-tuned ECU mapping, refined tolerances and other updates results in lower fuel consumption, increased torque – and smoother engine performance.



Ultramatic® transmission

Equipped with High, Low, Reverse,
Neutral and Park modes, Yamaha's
industry-leading Ultramatic® automatic
transmission is one of the ATV world's
most durable and efficient CVT systems.
The utility orientated gearing produces
excellent low-speed pulling power and
very natural-feeling all-wheel engine
braking, giving added confidence and
control on downhill runs.



Independent suspension and front disc brakes

The Kodiak 700 EPS SE's compact independent double wishbone A-arms and long-travel KYB shocks give high levels of comfort, together with good manoeuvrability and can handle the most extreme terrain. For durable and reliable braking the Kodiak 700 EPS SE is fitted with front disc brakes and a sealed wet rear brake.



On-Command® 2WD/4WD/Difflock

The Kodiak 700 EPS SE models are fitted with an easy to operate On-Command® system with 2WD/4WD and 4WD with Diff-lock for full control for quick and effective switching between 2WD and 4WD, or even full Diff-lock allowing you to choose the right option to suit the terrain and surface conditions.



Carrying capacity and winch

Durable front and rear racks give a high load carrying capacity of 140kg, and the Kodiak 700 EPS SE can tow 600kg, making it a strong work companion in the farm, factory or forest. The front-mounted WARN VRX 25 winch is standard for Europe, while EPS models come with a 2-inch receiver hitch, making this the ultimate compact utility vehicle.



Electric Power Steering (EPS)

For added comfort and reduced physical effort the Kodiak 700 EPS SE model is equipped with Electronic Power Steering (EPS) that has been designed to offer the best balance of rider assist and positive feedback. By maintaining light steering and precise handling, this system enhances rider comfort, confidence and control.



| Engine | |
|---------------------|--|
| Engine type | Liquid-cooled; SOHC; Single cylinder; 4-stroke; 4-valves |
| Displacement | 686cc |
| Bore x stroke | 102.0 mm x 84.0 mm |
| Compression ratio | 10.0:1 |
| Lubrication system | Wet sump |
| Fuel system | Electronic Fuel Injection |
| Ignition system | TCI |
| Starter system | Electric |
| Transmission system | L/H/N/R/P; Ultramatic® V-belt with front- and rear |
| | wheel engine braking |
| Drive system | On-Command® 2WD, 4WD, 4WD with Diff-lock |
| Final transmission | Shaft |

| Chassis | |
|-------------------------|---|
| Front suspension system | Independent double wishbone; 180 mm wheel travel; |
| | 5 position preload adjustment |
| Rear suspension system | Independent double wishbone; 230 mm wheel travel; |
| | 5 position preload adjustment |
| Front brake | Dual ventilated hydraulic disc |
| Rear brake | Multi-disc wet rear brake in rear gearcase |
| Front tyres | Maxxis MU19 AT25x8-12, E marked, aluminum wheels |
| Rear tyres | Maxxis MU19, AT25x10-12, E Marked, aluminum |
| | wheels |
| | |

| Loading limits | |
|----------------|-------|
| Front rack | 50 kg |
| Rear rack | 90 kg |



| Dimensions | |
|--------------------------|------------|
| Overall length | 2,070 mm |
| Overall width | 1,180 mm |
| Overall height | 1,240 mm |
| Seat height | 860 mm |
| Wheelbase | 1,250 mm |
| Minimum ground clearance | 275 mm |
| Min. turning radius | 3.2 m |
| Fuel tank capacity | 18 litres |
| Oil tank capacity | 2.6 litres |

| Additional features | |
|---------------------|---|
| Steering System | Ackermann-type with Electronic Power Steering |
| | 2"Receiver Trailer style hitch; Handle bar worklight; |
| Trailer Hitch | Digital Meter; Painted Body Plastics; Aluminium |
| | casted wheels |
| Front Mounted Winch | WARN Pro-Vantage 2500 |
| Towing capacity | 600 kg |



ATVs with engines up to 50cc are recommended for use only by riders 6 years and older and always with adult supervision. ATVs with engines of 70 to 90cc are recommended only for use by riders 12 years and older, and always under adult supervision. ATVs with engines of 90cc or greater are recommended for use only by riders 16 years and older. Our Side-by-Side Vehicles are recommended for use only by riders of 16 years and older. ATVs and Side-by-Side Vehicles are built to operate within their design limits. Safe towable weights, together with maximum carrying capacity are identified in the owner's manual if applicable. For durability, reliability, but most important of all, operator and passenger (for Side-by-Side Vehicle only) safety, under no circumstances should the recommended capacities be exceeded. ATVs can be hazardous to operate. For your safety: always avoid paved surfaces. ATVs and Side-by-Side Vehicles are designed for unpaved surfaces only. Riding on paved surfaces may seriously affect handling and control and can cause loss of control. Always wear a helmet, eye protection, and protective clothing. Never carry any passengers on ATVs and always wear a seatbelt when riding a Side-by-Side Vehicle. Never engage stunt riding. Riding and alcohol/drugs don't mix. Avoid excessive speed. And be particularly careful on difficult terrain. Please 'tread lightly': always ride in a responsible manner, respecting the environment as well as country and local laws. Yamaha recommends that all ATV and Side-by-Side Vehicle riders take an approved training course. For safety and training information, see your dealer or call your Yamaha Distributor in your country. The specification and appearance of Yamaha products will be varied from time to time without notice, and those shown here are for illustrative purposes only and are not contractual descriptions of products. Some models are shown with optional accessories. The riders in this brochure are professionals: don't attempt to emulate them. All ATVs and Side-by-Side Vehicles come with a 12-month Limited Factory Warranty. See your dealer for details.