



- Smooth shifting 6-speed transmission
- High-efficiency air intake
- Race-developed ergonomics
- Best-in-class KYB suspension

**Y
Z
1
2
5**

Y
Z
1
2
5

Engine

Engine type	Liquid-cooled;2-stroke;Forward-inclined single cylinder;Reed valve with YPVS
Displacement	125cc
Bore x stroke	54,0 mm x 54,5 mm
Compression ratio	8,2-10,1 : 1
Lubrication system	Premix
Clutch type	Wet;Multiple Disc
Ignition system	CDI
Starter system	Kick
Transmission system	Constant Mesh;6-speed
Final transmission	Chain
Fuel system	Keihin PWK38S/1
Maximum torque	-

Chassis

Frame	Semi double cradle
Front suspension system	Upside-down telescopic fork
Front travel	300 mm
Rear suspension system	Swingarm;link suspension
Rear travel	315 mm
Front brake	Hydraulic single disc, Ø270 mm
Rear brake	Hydraulic single disc, Ø240 mm
Front tyre	80/100-21 51M
Rear tyre	100/90-19 57M
Caster angle	26°
Trail	109 mm

Dimensions

Overall length	2.135 mm
Overall width	825 mm
Overall height	1.295 mm
Seat height	980 mm
Wheel base	1.445 mm
Minimum ground clearance	365 mm
Wet weight (including full oil and fuel tank)	95 kg
Fuel tank capacity	7,0 L
Oil tank capacity	0,7 L

